

Revision Date: March 4, 2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Exposed Aggregate Retarder **Other Means of Identification:** 32-302

Recommended Use: Surface retarder suitable for use on horizintal surfaces only to produce decorative exposed aggregate finishes or profiled surfaces for subsequent toppings. **Restrictions on Use: No Data**

Supplier of the Safety Data Sheet Including Address:

Bon Tool DBA Bonway 4430 Gibsonia Rd. Gibsonia, PA 15044

<u>Telephone Numbers</u> Company Phone Number

Phone: 800-444-7060; 724-443-7080 Fax: 800-444-7065

Emergency Telephone - 24 Hr. Chem-Tel: 800-255-3924

2. HAZARD IDENTIFICATION

Category 2B Eye Irritant Category 2 Acute Aquatic Toxicity

Signal Word: Warning.

Hazard Statement: H320 Causes eye irritation H401 Toxic to aquatic life

Precautionary Statement:

Prevention:

P261 Avoid breathing mist.
P280 Wear eye protection.
P270 Do not eat, drink, or smoke while using this product. **Response:**P301+P314 IF SWALLOWED: Get medical advice if you feel unwell.
P302+P353 IF ON SKIN: Rinse skin with water.
P304+P340+P342+P313 IF INHALED: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Get medical advice.
P305+ P351+P338+P314 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. Get medical advice if you feel unwell.



SECTION 3 COMPOSITION/ INFORMATION ON INGREDIENTS

No Hazardous Components

SECTION 4 FIRST AID MEASURES

Emergency First Aid Procedures

Skin: Clean area with soap and water. If irritation develops, get medical attention.

Eyes: Flush with a gentle but large stream of clean water for 15 minutes, lifting the lower and upper eyelids occasionally. Remove contact lenses if present and easy to do – continue rinsing. If irritation develops, get medical attention. Inhalation (mist): Move to fresh air and keep comfortable for breathing. Seek medical attention if irritation persists. Ingestion: Get medical advice if you feel unwell.

SECTION 5 FIREFIGHTING PROCEDURES

Extinguishing Media: Dry chemical, CO2, foam, water fog

Flash Point (TCC): N/A

Flammable Limits (% volume in air for solvents): LEL=N/A UEL=N/A

Special Fire Fighting Procedures: Firefighters wear NIOSH approved self-contained breathing apparatus. Cool containers exposed to fire with water.

SECTION 6 SPILL OR LEAK PROCEDURES

Steps to Take if Material is Released or Spilled: No health affects expected from the clean-up of the material. Follow the protection information found in Section 8 of this SDS. Absorb spillage in suitable inert material. Sweep or scrape up and containerize. Rinse affected area thoroughly with water.

SECTION 7 HANDLING AND STORAGE

Normal Handling: Always use good industrial hygiene practices and safety guidelines.

Storage: Store material in its original container. Keep containers tightly closed when not in use.

Waste Disposal Method: Material is not considered a RCRA Hazardous Waste. Dispose of material in accordance with federal, state, and local guidelines.

Special Precautions: Avoid freezing. Store in a cool, dry place with adequate ventilation.

SECTION 8 PROTECTION INFORMATION

Respiratory Protection: Use NIOSH-approved respirator when the chance of mist inhalation is present.

Ventilation: Provide adequate mechanical ventilation to keep mist levels low.

Protective Gloves: Wear impervious chemical gloves.

Eye Protection: Wear chemical safety glasses.

Other Protective Clothing or Equipment: As needed to prevent repeated/prolonged contact.

Work/Hygienic Practices: Use only in adequately-ventilated area unless recommended respiratory protection is used. Wash thoroughly with soap and water after handling and before eating, smoking, or using washroom. If clothes become contaminated, change to clean clothing and wash contaminated clothes before re-use. Partition Coefficient: Not determined

Auto-ignition Temperature: Not determined

Decomposition temperature: Not determined

Viscosity: Not determined



SECTION 9 PHYSICAL DATA

Appearance: Greenish brown dark liquid **Odor:** Phenolic Odor Threshold: No data available **pH:** 10.5 Freezing/Melting Point: Not determined Boiling Point: 212° F Flash Point: N/A Evaporation Rate: Not determined Flammability (solid, gas): Non-flammable liquid **Upper/lower Flammability:** Not determined Vapor Pressure: 2.3 kPa (@ 20°C) Vapor Density: 0.62 (air=1) Relative Density: 1.05 g/cc Solubility: Miscible with water Partition Coefficient: Not determined Auto-ignition Temperature: Not determined **Decomposition Temperature:** Not determined Viscosity: Not determined

SECTION 10 REACTIVITY DATA

Reactivity: Stable. Conditions to avoid: None known. Hazardous decomposition products: Produces normal products of combustion Hazardous Polymerization: Will not occur.

SECTION 11 TOXICITY DATA

Carcinogen: No. **Routes of Exposure:** Inhalation (mist), ingestion, eyes, and skin. Acute Toxicity Lethal Doses (ATE): LC50 (inhl) >20,000 mg/l LD50 (oral) >20,000 mg/kg LD50 (skin) >20,000 mg/kg

Health Hazards:

Acute: May cause eye irritation. Inhalation of vapor/mist may irritate nose and throat. Ingestion of large quantities may cause nausea.

Chronic: Prolonged and repeated exposures may cause skin irritation. Repeated ingestion or swallowing large amounts may cause internal injury.

Skin Contact: Prolonged or repeated contact may cause mild irritation.

Eye Contact: Direct contact may cause mild eye irritation.

Inhalation (mist): May cause mild irritation.

Ingestion: May cause nausea, abdominal discomfort.

Carcinogen: No.

Aggravation of Pre-existing Conditions: Persons with pre-existing skin, eye, or lung disorders may be more susceptible to the effects of the substance.



SECTION 12 ECOLOGICAL DATA

Acute Toxicity to Fish: LC50 13.07 mg/L (calculated) Acute Toxicity to Aquatic Invertebrates: LC50 8.20 mg/L (calculated) Toxicity to Aquatic Plants: EC50 11.1 mg/L (calculated) Toxicity to Microorganisms: No data available Chronic Toxicity to Fish: No data available Chronic Toxicity to Aquatic Invertebrates: No data available Persistence and Degradability: Expected to degrade readily and rapidly in the presence of oxygen Bioaccumulation Potential: This material is not expected to bioaccumulate Mobility in the Soil: Expected to move slowly in soil and water Other Adverse Effects: None established

SECTION 13 DISPOSAL INFORMATION

Waste Disposal Method: Material is not considered a RCRA Hazardous Waste. Dispose of material in accordance with all Federal, State, and Local regulations.

SECTION 14 TRANSPORT INFORMATION

Proper Shipping Name: Non-Regulated Material Hazard Class: N/A UN: N/A Packing Group: N/A Marine Pollutant: No

SECTION 15 REGULATORY INFORMATION SARA 311/312: No CHEMICAL INVENTORIES

All ingredients of this product are listed or are exempt from listing on the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

California Proposition 65 Carcinogens and Reproductive Toxins: None

Canadian WHMIS Classification: Not classified

SECTION 16 ADDITIONAL INFORMATION

The regulatory information provided is not intended to be comprehensive. Other Federal, State and Local regulations may apply to this material.

DISCLAIMER: Although the information and recommendations set forth herein are presented in good faith and believed to be correct as of the date hereof, manufacturer makes no representations as to the completeness or accuracy thereof.



Ingestion: May be harmful if swallowed. Aspiration of the material into the lungs can cause chemical pneumonitis, which can be fatal.

Carcinogen: Contains ingredients suspected of causing cancer in humans:

•		0
Light Solvent Naphtha	64742-95-6	(IARC Group 2B)
Cumene	98-82-8	(IARC Group 2B)
Bis (2-ethylhexyl) phthalate	117-81-7	(IARC Group 2B)

Aggravation of Pre-existing Conditions: Persons with pre-existing skin, eye, or lung disorders may be more susceptible to the effects of the substance.

12. ECOLOGICAL DATA

Acute Toxicity to Fish: LC50 10.3 mg/L (calculated) Acute Toxicity to Aquatic Invertebrates: LC50 4.64 mg/L (calculated) Toxicity to Aquatic Plants: EC50 3.19 mg/L (calculated) Toxicity to Microorganisms: No data available Chronic Toxicity to Fish: No data available Chronic Toxicity to Aquatic Invertebrates: No data available Persistence and Degradability: Expected to degrade readily and rapidly in the presence of oxygen Bioaccumulation Potential: This material is not expected to bioaccumulate Mobility in the Soil: Expected to move slowly in soil and water Other Adverse Effects: None established

13. DISPOSAL INFORMATION

Waste Disposal Method: Liquid material is an ignitable waste (D001). Dispose of material in accordance with all Federal, State, and Local regulations.

14. TRANSPORT INFORMATION

For Domestic (US) Ground Transport: Non-Regulated Material in <119-gallon containers For other modes: Proper Shipping Name: PAINT Hazard Class: 3 UN: UN1263 Packing Group: PGIII Marine Pollutant: No

15. REGULATORY INFORMATION

SARA 311/312: Yes. (Fire, Acute, Chronic).

OSHA: This material is hazardous by definition of Hazardous Communications Standard (29 CFR 1910.1200). **TSCA:** Components of this material are either listed or are exempt from the EPA TSCA Inventory of Chemical Substances.

California Proposition 65: WARNING! This product contains a chemical known to the State of California to cause cancer.

98-82-8 Cumene

WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Massachusetts Right To Know:

117-81-7	bis(2-Ethylhexyl) phthalate	
25551-13-7	Benzene, Trimethyl-	36.0 - 44.0
95-63-6 1,2,4-	Trimethylbenzene	20.0 – 30.0
98-82-8	Cumene	3.0 – 7.5
1330-20-7	Mixed Xylenes	0.7 - 4.0
117-81-7	bis(2-Ethylhexyl) phthalate	0.1 – 0.2
Proprietary	Glycol Ether	2.0 – 2.5



Pennsylvania Right To Know:	64742-95-6 25551-13-7 95-63-6 1,2,4- 98-82-8 1330-20-7 117-81-7 Proprietary	Light Solvent Naphtha Benzene, Trimethyl- Trimethylbenzene Cumene Mixed Xylenes bis(2-Ethylhexyl) phthalate Glycol Ether	$\begin{array}{r} 43.0 - 75.0\\ 36.0 - 44.0\\ 20.0 - 30.0\\ 3.0 - 7.5\\ 0.7 - 4.0\\ 0.1 - 0.2\\ 2.0 - 2.5\end{array}$
New Jersey Right To Know:	64742-95-6 25551-13-7 95-63-6 98-82-8 1330-20-7 25155-15-1 117-81-7 Proprietary	Light Solvent Naphtha Benzene, Trimethyl- 1,2,4-Trimethylbenzene Cumene Mixed Xylenes Cymenes bis(2-Ethylhexyl) phthalate Glycol Ether	$\begin{array}{r} 43.0 - 75.0\\ 36.0 - 44.0\\ 20.0 - 30.0\\ 3.0 - 7.5\\ 0.7 - 4.0\\ 0.7 - 1.1\\ 0.1 - 0.2\\ 2.0 - 2.5\end{array}$

Section 16 Additional Information

The regulatory information provided is not intended to be comprehensive. Other Federal, State and Local regulations may apply to this material.

DISCLAIMER: Although the information and recommendations set forth herein are presented in good faith and believed to be correct as of the date hereof, manufacturer makes no representations as to the completeness or accuracy thereof.

