

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Bonway Water Based Concrete Stain - Amber

Part#: 32-810; 32-860

Manufactured by: Bon Tool Co. DBA Bonway 4430 Gibsonia Rd. Gibsonia, PA 15044 800-444-7060 www.bontool.com

Emergency Hot Line: ChemTel ph: 800-255-3924

Date prepared: 10/7/2015

Product Use: Concentrated stain for cured concrete and may be applied over sealed surfaces (refer to application insturctions).

Not recommended for: Non-porous substrates (e.g. metal, resins, fiberglass) when submerged in water or exposed to severe weather conditions.

2. HAZARDS IDENTIFICATION

GHS Ratings:

GHS Hazards

GHS Precautions

Signal Word:

There are no GHS ratings that apply to this product at this time.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS number	Weight Concentration %	
	Inert	40.00% - 50.00%	
Water softened	7732-18-5	30.00% - 40.00%	
Hematite	1317-60-8	10.00% - 20.00%	
2,2,4-TRIMETHYL 1,3- PENTENDIOL MONOISOBUTYRATE	25265-77-4	1.00% - 5.00%	
2,2,4-TRIMETHYL 1,3-PENTENDIOL DIISPBURYRATE	6846-50-0	1.00% - 5.00%	



4. FIRST AID MEASURES

INHALATION - If product solids are inhaled either as dust or in the form of a spray mist, remove the person from exposure immediately. If breathing is difficult, irregular, or has stopped, start resuscitation; call a physician. Administer oxygen if a qualified operator is available.

EYE CONTACT - In case of eye contact, flush the eyes with water for fifteen (15) minutes. If contact lenses are worn, quickly remove them, then flush the eyes with water. Have a physician examine the eyes.

SKIN CONTACT - In case of skin contact, remove contaminated clothing. Flush the skin with large amounts of water, then wash the skin with soap and water. Call a POISON CENTER or doctor/physican if you feel unwell. **INGESTION** - If material is ingested, seek immediate medical attention. Rinse mouth thoroughly. Do not induce vomiting.

Notes to Physician: Symptoms may be delayed.

5. FIRE FIGHTING MEASURES

Flash Point: > 100 C (>212 F)

LEL:

UEL:

Flammable Limits:

EXTINGUISHING MEDIA: Use carbon dioxide (CO2), "alcohol" foam, dry chemical, or water spray/water fog extinguishing systems.

UNUSUAL FIRE OR EXPLOSION HAZARDS: The product vapor is heavier than air and may travel a considerable distance to a source of ignition and flashback.

HAZARDOUS COMBUSTION PRODUCTS: See section 10 for a list of hazardous decomposition products for this mixture.

FIRE FIGHTING: If evacuation of personnel is necessary, evacuate to an upwind area. Decontaminate personnel and equipment with a water wash-down after fire and smoke exposure.

FIRE FIGHTING EQUIPMENT: Firemen and emergency responders: wear full turnout gear or Level A equipment, including positive-pressure, self-contained breathing apparatus (SCBA).

6. ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK PROCEDURES: Spill supervisor - Ensure cleanup personnel wear all appropriate Personal Protective Equipment (PPE), including respiratory protection. Remove all ignition sources. Keep nonessential personnel away from the contaminated area.

SMALL SPILLS: Ventilate the contaminated area. Using nonsparking tools, mix the appropriate sorbent into the spilled material. Use an absorbent like sawdust for aqueous, waterborne, and solvent-borne coatings.

Collect the saturated sorbent and transfer it into a covered container. Steel containers are acceptable for all wastes except wastes which contain acid. Use suitable plastic containers for acid-bearing wastes.

Dispose of the waste in compliance with all Federal, state, regional, and local regulations. LARGE SPILLS: Prevent this material from entering sewers and watercourses by diking or impounding the spilled material. Advise authorities if the product has entered or may enter, sewers, watercourses, or extensive land areas .

Ventilate the contaminated area. Using nonsparking tools, mix the appropriate sorbent into the spilled material. Use an absorbent like sawdust for aqueous, waterborne, and solvent-borne coatings.

Collect the saturated sorbent and transfer it into a covered container. Steel containers are acceptable for all wastes except wastes which contain acid. Use suitable plastic containers for acid-bearing wastes.

Label the waste container. Dispose of the waste in compliance with all Federal, state, regional, and local regulations.



7. HANDLING AND STORAGE

HANDLING PRECAUTIONS: Wear all appropriate Personal Protective Equipment (PPE). Wear respiratory protection or ensure adequate ventilation at all times as vapors can accumulate in confined or poorly ventilated areas. Use the product in a manner which minimizes splashes and/or the creation of dust. Keep containers closed when not in use. Do not handle or store material near heat, sparks, open flames, or other sources of ignition. Store at room temperatures, i.e., 40 to 95 F (4 to 35 C).

STORAGE: Prevent from freezing. Do not store above 120 F (49 C).

Store only in original containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits	
Inert	Not Established	Not Established	Not Established	
Water softened 7732-18-5	No component of this product at levels greater than or equal to 0.1% is identified as a carcinogen or potential 		Not Established	
Hematite 1317-60-8	Not Established	Not Established	Not Established	
2,2,4-TRIMETHYL 1,3- PENTENDIOL MONOISOBUTYRATE 25265-77-4	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	Not Established	
2,4-TRIMETHYL 1,3- ENTENDIOLNo component of this product presents at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by OSHA.		No component of this product presents at levels greater than 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.	Not Established	

9. PHYSICAL AND CHEMICAL PROPERTIES

This mixture typically exhibits the following properties under normal circumstance:

Explosive Limits: Not Determined	Partition coefficient (n- Not Determined octanol/water):
Decomposition temperature: Not Determined	Viscosity: 1100-1300 cPs
Grams VOC less water: 40.89	Appearance: Liquid
Odor: Slight Amine	Vapor Pressure: N/A
Odor threshold: Not Determined	Vapor Density: 2.0
pH: 9.5 - 10.0	Specific Density: 1.05
Melting point: Not Determined	Freezing point: 0°C
Solubility: Not Determined	Boiling range: 100°C
Flash point: >212°F or >100°C	Evaporation rate: Not Determined
Flammability: Not Applicable	



Stability:

STABLE

Incompatibilities/Condictions to avoid: Elevated temperatures. Contact with oxidizing agent/oxidizers.

Hazardous Decomposition: Can produce Carbon Monoxide and/or Carbon Dioxide. Hazardous polymerization will not occur.

11. TOXILOGICAL INFORMATION

Mixture Toxicity

Inhalation Toxicity LC50: 107mg/L

Component Toxicity	
25265-77-4	2,2,4-TRIMETHYL 1,3- PENTENDIOL MONOISOBUTYRATE
	Inhalation LC50: 4 mg/L (Rat)
6846-50-0	2,2,4-TRIMETHYL 1,3-PENTENDIOL DIISPBURYRATE
	Oral LD50: 2,000 mg/kg (Rat) Dermal LD50: 2,000 mg/kg (Guinea Pig) Inhalation LC50: 0 mg/L (Rat)

Primary routes of entry: Inhalation, Skin contact.

Carcinogenicity: The following chemicals comprise 0.1% or more of this mixture and are listed and/or classified as carcinogens or potential carcinogens by NTP, IARC, OSHA (mandatory listing), or ACGIH (optional listing).

CAS Number	Description	<u>% Weight</u>	Carcinogen Rating
None			No Data Available

12. ECOLOGICAL INFORMATION

Component Ecotoxicity Water softened	Toxicity of the Products of Biodegradation: The product itself and its products of degradation are not toxic.
Hematite	Acute Fish ToxicityTLM96: > 500 mg/l (Pimephales promelas)Acute Crustaceans ToxicityTLM96: > 1000 ppm (Crangon crangon)Acute Algae ToxicityNot Determined
2,2,4-TRIMETHYL 1,3- PENTENDIOL MONOISOBUTYRATE	Toxicity Acute Toxicity Fish Product: No data available.
	Specified substance(s) 2,2,4-trimethyl-1,3-pentanediol monoisobutyrate LC-50 (Flathead Minnow, 96h) : 33 mg/l Aquatic invertebrates



PAGE 4 OF 7

	Product N	No data available.			
	Specified substance(s) 2,2,4-trimethyl-1,3-pentanediol monoisobutyrate EC-50 (Water Flea, 48h): 147.8 mg/l				
	Chronic Toxicit	ły			
	Fish Product:	No data available.			
	Specified subs 2,2,4-trimethyl		ata available		
	Aquatic inverte Product N	ebrates No data available			
	Specified subs 2,2,4-trimethyl		ata available		
	Mobility in soil	Log Koc - log koc: 1.5 - 2.8			
	Results of PBT assessment:	and vPvB No data available.			
		-1,3-pentanediol monoisobutyrate Not f accumulative/toxic) criteria	ulfilling PBT		
	Other adverse effects: No data available				
2,2,4-TRIMETHYL 1,3- PENTENDIOL DIISPBURYRATE	Toxicity				
	Acute Toxicity				
	Fish Product:	NOEC: (Fish, 96h):>=6mg/l (limit of solub	ility in fresh water)		
	Aquatic Inverte Product: water)	ebrates NOEC: (daphnid, 48h):>=1.46 mg/l (limit	of solubility in fresh		
	Chronic Toxicit	ty			
	Fish Product:	No data available			
	Specified subs Aquatic invert Product:		solubility in fresh water)		
	Toxicity to Aqu Product:	atic Plants EC-50 (Alga, 72 h):> 7.49 mg/l (limit of sc	plubility in fresh water)		
	Persistence ar	nd degradability			
	Biodegradation Product: Readily biodeg	n 70.73% (28 d, Ready Biodegradability: C gradable, failing 10-d window	O2 Evolution Test)		



Biological Oxyger Product: solubility of the te	BOD-5 and	d BOD-20 were not determined because the aqueous as below that which is required for these tests.
Chemical Oxygen Product:	Demand: No data av	vailable
BOD/COD ratio Product:	No data av	vailable
Specified substan	ice(s)	
Bioaccumulative p Product: Fish, Bic	Fish, Bioco	oncentration factor (BCF): 1.95 (Measured) ion factor (BCF): 183 - 194 (Measured)
Mobility in soil:	No dat	ta available.
Known or predicte	ed distributio	on to enviromental compartments
Results of PBT ar criteria assessment:	nd vPvB	Not fulfilling PBT (persistent/bioaccumulative/toxic)
Other adverse eff	ects: No	lo data available.

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with all applicable regulations.

14. TRANSPORT INFORMATION

This material is classified for transport as follows:

Agency	Proper Shipping Name	<u>UN Number</u>	Packing Group	Hazard Class
DOT	Water Based Paint	Unregulated		Non Hazardous

15. REGULATORY INFORMATION

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

- None

R2K List

- None



PAGE 6 OF 7

16. OTHER INFORMATION

Hazardous Material Information System (HMIS) National Fire Protection Association (NFPA)



The material contained in this Safety Data Sheet is based on information supplied to Bon Tool Co. by the raw material suppliers of the individual components of this product. Bon Tool Co. believes this information is truthful and reliable. However, no warranty is expressed or implied regarding the accuracy of this information, or of any product, method or apparatus mentioned and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and health and safety of your employees and users of this material. As more information becomes available from our vendors additional revisions will be forthcoming.

Date Prepared: 10/7/2015

Reviewer Revision

PAGE 7 OF 7

