

# Bon<sup>®</sup>

## SAFETY DATA SHEET

### #42-369 True Matte Sealer Additive

---

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** True Matte Sealer Additive

**Other Means of Identification:** #42-369

**Recommended Use Of The Product:** Matting agents.

**Restrictions on Use:** Not determined.

**Manufacturer/Supplier:**

Bon Tool Co.  
DBA Bonway  
4430 Gibsonia Rd.  
Gibsonia, PA 15044

**Telephone Numbers:**

**Phone:** 800-444-7060

**Fax:** 800-444-7065

**Emergency Phone (24 hrs):**

Chem-Tel 800-255-3924

**Issue Date:** 5/14/2019

---

#### 2. HAZARD(S) IDENTIFICATION

**Hazard Classification**

Not classified

**Label Elements**

**Hazard Symbol:** No symbol

**Signal Word:** No signal word.

**Hazard Statement:** Not applicable

**Precautionary Statements**

**Hazard(s) not otherwise classified (HNOC):** None.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Silicon dioxide, chemically prepared (CAS 112926-00-8 resp. 7631-86-9)	112926-00-8	
polyethylene	9002-88-4	

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition Comments:** A new CAS , 112926-00-8, has been assigned to Amorphous Precipitated Silica to distinguish it from crystalline. According to EPA this product meets TSCA requirements and is listed on the TSCA Inventory as Silica, CAS 7631-86-9. The exact concentration has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### Description of necessary first-aid measures

**Inhalation:** In case product dust is released: Possible discomfort: cough, sneezing Move victims into fresh air.

**Skin Contact:** Wash off with plenty of water and soap.

**Eye contact:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes or until all material has been removed. Obtain medical attention.

**Ingestion:** Clean mouth with water and drink afterwards plenty of water. After absorbing large amounts of substance / In case of discomfort: Supply with medical care.

**Personal Protection for First-aid Responders:** As in any fire, wear self-contained positive-pressure breathing apparatus, (MSHA/NIOSH approved or equivalent) and full protective gear. In the event of fire, wear self-contained breathing apparatus.

#### Most important symptoms/effects, acute and delayed

**Symptoms:** None known.

**Hazards:** No data available.

#### Indication of immediate medical attention and special treatment needed

**Treatment:** No hazards which require special first aid measures.

### 5. FIRE FIGHTING MEASURES

#### Suitable (and unsuitable) extinguishing media

**Suitable extinguishing media:** Water spray, foam, CO<sub>2</sub>, dry powder. Adapt fire-extinguishing measures to surroundings

**Unsuitable extinguishing media:** Do not use a solid water stream as it may scatter and spread fire.

**Specific hazards arising from the chemical:** May be released in case of fire: carbon monoxide, carbon dioxide, organic products of decomposition.

## Special protective equipment and precautions for firefighters

**Special fire fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** As in any fire, wear self-contained positive-pressure breathing apparatus, (MSHA/NIOSH approved or equivalent) and full protective gear. In the event of fire, wear self-contained breathing apparatus.

---

## 6. ACCIDENTAL MEASURES

**Personal precautions, protective equipment and emergency procedures:** Use personal protective equipment.

**Methods and material for containment and cleaning up:** Sweep up or vacuum up spillage and collect in suitable container for disposal.

**Environmental Precautions:** Obey relevant local, state, provincial and federal laws and regulations. Do not contaminate any lakes, streams, ponds, groundwater or soil.

---

## 7. HANDLING AND STORAGE

### Handling

**Technical measures (e.g. Local and general ventilation):** No data available.

**Safe handling advice:** Handle in accordance with good industrial hygiene and safety practice. If there is the possibility of skin/eye contact, the indicated hand/eye/body protection should be used. If workplace exposure limits are exceeded and/or larger amounts are released (leakage, spilling, dust) the indicated respiratory protection should be used. Use with adequate ventilation.

**Contact avoidance measures:** No data available.

**Hygiene measures:** When using, do not eat, drink or smoke. Wash face and/or hands before break and end of work. To ensure ideal skin protection: use super fatted soaps and skin cream for skin care. Wash contaminated clothing before reuse.

### Storage

**Safe storage conditions:** Take precautionary measures against static discharges. Keep containers tightly closed in a dry, cool place. Avoid dust formation.

**Safe packaging materials:** No data available.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

#### Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
polyethylene - Inhalable particles.	TWA	10 mg/m <sup>3</sup>	US. ACGIH Threshold Limit Values (03 2016)
polyethylene - Respirable particles.	TWA	3 mg/m <sup>3</sup>	US. ACGIH Threshold Limit Values (03 2016)
polyethylene - Respirable fraction.	PEL	5 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (03 2016)
polyethylene - Total dust.	PEL	15 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air

	TWA	15 mg/m <sup>3</sup>	Contaminants (29 CFR 1910.1000) (03 2016) US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
polyethylene - Respirable fraction.	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
polyethylene - Total dust.	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
polyethylene - Respirable fraction.	TWA	5 mg/m <sup>3</sup>	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
Silicon dioxide, chemically prepared (CAS 112926-00-8 resp. 7631-86-9)	PEL	6 mg/m <sup>3</sup>	Source: 54 FR 2701
	PEL	20 millions of particles per cubic foot of air	Source: 54 FR 2701

**Appropriate Engineering Controls**

No data available.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection:** Wear safety glasses with side shields. In case dusts are formed, wear close fitting protective goggles.

**Skin Protection**

**Hand Protection:** Additional Information: Use impermeable gloves.

**Skin and Body Protection:**

A safety shower and eye wash fountain should be readily available. To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132) be conducted before using this product.

**Respiratory Protection:**

A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 or applicable federal/provincial requirements must be followed whenever workplace conditions warrant respirator use. NIOSH's "Respirator Decision Logic" may be useful in determining the suitability of various types of respirators.

**Hygiene measures:**

When using, do not eat, drink or smoke. Wash face and/or hands before break and end of work. To ensure ideal skin protection: use super fatted soaps and skin cream for skin care. Wash contaminated clothing before reuse.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance**

- Physical state:** solid
- Form:** Powder
- Color:** White
- Odor:** odourless
- Odor Threshold:** Not applicable
- pH:** approx. 6 (50 g/l, 20 °C) Suspension
- Melting Point:** not determined
- Boiling Point:** not determined
- Flash Point:** Not applicable
- Evaporation Rate:** Not applicable
- Flammability (solid, gas):** not determined

<b>Explosive limit - upper (%):</b>	not determined
<b>Explosive limit - lower (%):</b>	not determined
<b>Vapor pressure:</b>	Not applicable
<b>Vapor density (air=1):</b>	Not applicable
<b>Density:</b>	approx. 2 g/cm <sup>3</sup> (20 °C) (DIN / ISO 787 / 10)
<b>Relative density:</b>	No data available.
<b>Solubility(ies)</b>	
<b>Solubility in Water:</b>	hardly soluble
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	Not applicable
<b>Self Ignition Temperature:</b>	not determined
<b>Decomposition Temperature:</b>	> 230 °C
<b>Kinematic viscosity:</b>	Not applicable solid
<b>Dynamic viscosity:</b>	Not applicable solid
<b>Other information</b>	
<b>Explosive properties:</b>	not to be expected, given the composition employed
<b>Oxidizing properties:</b>	not to be expected, given the composition employed
<b>Minimum ignition energy:</b>	not determined
<b>Minimum ignition temperature:</b>	approx. 460 °C

## 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	No dangerous reaction known under conditions of normal use.
<b>Chemical Stability:</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions:</b>	None if processed as per stipulations
<b>Conditions to avoid:</b>	None known.
<b>Incompatible Materials:</b>	None known.
<b>Hazardous Decomposition Products:</b>	Carbon Monoxide. Carbon Dioxide. organic products of decomposition

## 11. TOXICOLOGICAL INFORMATION

**General information:** Silicosis or other product specific illnesses of the respiratory tract were not observed in association with the product.

### Information on likely routes of exposure

<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.
<b>Ingestion:</b>	No data available.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

##### Oral

**Product:** Acute toxicity estimate: > 2,000 mg/kg Based on available data, the classification criteria are not met.

##### Dermal

**Product:**

##### Components:

Silicon dioxide, LD 50 (Rabbit): > 5,000 mg/kg  
chemically prepared  
(CAS 112926-00-8 resp.  
7631-86-9)

##### Inhalation

**Product:**

##### Components:

Silicon dioxide, LC0 (Rat): 0.69 mg/l  
chemically prepared Vapour The substance or mixture has no acute inhalation toxicity, Dusts,  
(CAS 112926-00-8 resp. mists and fumes  
7631-86-9)

polyethylene Vapour Dusts, mists and fumes

#### Repeated dose toxicity

**Product:** no evidence for hazardous properties

#### Skin Corrosion/Irritation

**Product:** Based on available data, the classification criteria are not met.

#### Serious Eye Damage/Eye Irritation

**Product:** Based on available data, the classification criteria are not met.

#### Respiratory or Skin Sensitization

**Product:** Not known.

#### Carcinogenicity

**Product:** Contains no carcinogenic substances as defined by NTP, IARC and/or OSHA. No evidence that cancer may be caused.

#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

#### US. National Toxicology Program (NTP) Report on Carcinogens:

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

## Germ Cell Mutagenicity

**In vitro**  
**Product:** No data available.

**In vivo**  
**Product:** No data available.

## Reproductive toxicity

**Product:** no evidence of reproductiontoxic properties

## Specific Target Organ Toxicity - Single Exposure

**Product:** No data available.

### Components:

Silicon dioxide, no evidence for hazardous properties  
chemically prepared Not classified  
(CAS 112926-00-8 resp.  
7631-86-9)  
polyethylene Not classified

## Specific Target Organ Toxicity - Repeated Exposure

**Product:** No data available.

### Components:

Silicon dioxide, no evidence for hazardous properties  
chemically prepared Not classified  
(CAS 112926-00-8 resp.  
7631-86-9)  
polyethylene Not classified

## Aspiration Hazard

**Product:** Not classified

**Other effects:** An Expert Judgment stated that no classification is necessary based on present knowledge.

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity:

#### Acute hazards to the aquatic environment:

##### Fish

**Product:** No data available.

##### Components:

Silicon dioxide, LC 50 ((Brachydanio rerio), 96 h): > 10,000 mg/l The reported toxic effects  
chemically prepared relate to the nominal concentration.  
(CAS 112926-00-8 resp.  
7631-86-9)

polyethylene LC 50 (Leuciscus idus (Golden orfe), 96 h): > 100 mg/l

##### Aquatic Invertebrates

**Product:** No data available.

**Components:**

Silicon dioxide,  
chemically prepared  
(CAS 112926-00-8 resp.  
7631-86-9)

EC 50 (Daphnia magna, 24 h): > 1,000 mg/l The reported toxic effects relate to the nominal concentration.

**Chronic hazards to the aquatic environment:****Fish**

**Product:** No data available.

**Aquatic Invertebrates**

**Product:** No data available.

**Toxicity to Aquatic Plants**

**Product:** No data available.

**Persistence and Degradability****Biodegradation**

**Product:** Not readily biodegradable.

**BOD/COD Ratio**

**Product:** No data available.

**Bioaccumulative potential****Bioconcentration Factor (BCF)**

**Product:** Not to be expected.

**Partition Coefficient n-octanol / water (log Kow)**

**Product:** Log Kow: Not applicable

**Mobility in soil:**

No remarkable mobility in soil is to be expected.

**Other adverse effects:**

An Expert Judgment stated that no classification is necessary based on present knowledge.

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods:**

Waste must be disposed of in accordance with federal, state and local regulations. Incineration is the preferred method.

**Contaminated Packaging:**

Packaging material should be recycled or disposed of in accordance with federal, state and local regulations.

---

**14. TRANSPORT INFORMATION****Domestic regulation****49 CFR**

Not regulated as a dangerous good



Remarks : Not dangerous according to transport regulations.

### **International Regulations**

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

#### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

---

## **15. REGULATORY INFORMATION**

### **US Federal Regulations**

#### **TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

#### **US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)**

None present or none present in regulated quantities.

#### **US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

None present or none present in regulated quantities.

#### **CERCLA Hazardous Substance List (40 CFR 302.4):**

None present or none present in regulated quantities.

#### **Superfund Amendments and Reauthorization Act of 1986 (SARA)**

##### **Hazard categories**

Not classified

##### **SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

##### **US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances**

##### **SARA 311/312 Hazardous Chemical**

<b>Chemical Identity</b>	<b>Threshold Planning Quantity</b>
--------------------------	------------------------------------

None present or none present in regulated quantities.

##### **SARA 313 (TRI Reporting)**

None present or none present in regulated quantities.

#### **Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

None present or none present in regulated quantities.

## Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

### US State Regulations

#### US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

#### US. New Jersey Worker and Community Right-to-Know Act

##### Chemical Identity

Silicon dioxide, chemically prepared (CAS 112926-00-8 resp. 7631-86-9)

#### US. Massachusetts RTK - Substance List

##### Chemical Identity

Silicon dioxide, chemically prepared (CAS 112926-00-8 resp. 7631-86-9)

#### US. Pennsylvania RTK - Hazardous Substances

##### Chemical Identity

Silicon dioxide, chemically prepared (CAS 112926-00-8 resp. 7631-86-9)

#### US. Rhode Island RTK



##### Chemical Identity

polyethylene

---

## 16. OTHER INFORMATION - Including date of preparation or last revision

### NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

**Issue Date:** 05/14/2019

**Version #:** 1.0

**Further Information:** No data available.